


**Light Source Test Report**



**Color Parameters:**

Chromaticity Coordinate:  $x=0.3185$   $y=0.3428$   
Chromaticity Coordinate:  $u'=0.3185$   $v'=0.3428$  ( $duv=7.30e-03$ )  
Tc=6130K Dominant WL:Ld=500.2nm Purity=4.5% Centroid WL:542.0nm  
Ratio:R=14.9% G=79.5% B=5.6% Peak WL:Lp=455.0nm HWL:21.7nm  
Render Index:Ra=83.7  
R1 =82 R2 =91 R3 =95 R4 =80 R5 =82 R6 =87 R7 =87  
R8 =67 R9 =8 R10=79 R11=79 R12=56 R13=85 R14=98 R15=76

**Photo Parameters:**

Flux: 213.36 lm Fe: 1.41676 W Efficacy:0 lm/W

**Electrical Parameters:**

Lamp : U=0V I=0A P=0W PF=0

**Instrument Status:**

Scan Range:380.0nm-800.0nm Interval:5.0nm[0]  $I_p=28630(G=5,D=61)$   
REF=2829(R=4)  $\%=-0.037\%$  PMT: 30.9 centigrade [31.6]

---

Product Type:1.5W Plus 白+黑 6000K Manufacturer:EVERFINE  
Number:445 Test Department:  
Temperature:25.3 deg Humidity:65.0%  
Test Operator:DAMIN Test Date:2017-05-27 15:55:04  
Software:V2.00.100 Instrument:PMS-80\_V1 (SN:11060050)