



POWER-LITE®

Certainty at The Speed of Light



7W LED INTEGRAL DRIVER

DOWNLIGHT

ID7W-CC

The POWER-LITE® 7W LED Integral Downlight saves energy and costs as compared to standard halogen downlights. These come with a built-in LED driver with IC-4 insulation rating for easy install.



APPLICATIONS

Domestic | Retail

Commercial



☎ 1800 909 306


🌐 nedlandsgroup.com.au

✉ sales@nedlandsgroup.com.au



POWER-LITE®

Certainty at The Speed of Light



DIMENSIONS	(mm)
Cutout	70
Diameter	85
Height	68

Notes

- Compatible with Clipsal C-Bus / Trailing edge dimming systems.
- It is recommended to test it, before carrying out a large installation as some C-BUS systems may not be compatible.

LED Chip

Epistar 2835

Life Expectancy

40,000 hrs TM-21

Working Temp

-20°C to +45°C

CRI

>80

Efficacy

Up to 103lm/W

LED Driver

Dimmable

Integral

IC-4

Connection

1.2m AU Plug

Rubber claws included

Carton Qty

50



7W



3CCT



3000K
689lm



4000K
737lm



5700K
665lm



AC220-240V
50/60Hz



White Frame
Colour

PRODUCT

7W LED INTEGRAL DRIVER DOWNLIGHT

CODE

ID7W-CC

ACCESSORIES

OPTIONS

CODE

DOWNLIGHT RING



Black

ID7W-BLACK

Brushed
Chrome Finish
(304 Marine Grade
Stainless Steel)

ID7W-BC



IP54



IK08



90°
Beam Angle



1800 909 306



nedlandsgroup.com.au



sales@nedlandsgroup.com.au




POWER-LITE®


Certainty at The Speed of Light

PHOTOMETRICS

ID7W-CC | 3000K



ID7W-CC | 4000K



ID7W-CC | 5700K

