



LED SMD COMMERICAL

DOWNLIGHT

LED-DL35, LED-DL45W

These high efficiency LED SMD POWER-LITE® Downlights are designed for medium to high ceiling installations in retail and public spaces.





1800 909 306 nedlandsgroup.com.au sales@nedlandsgroup.com.au







APPLICATIONS Domestic | Retail Commercial Healthcare




DIMENSIONS


LED-DL35W Cutout

200-210

(mm)



LED-DL45W



LED Chip
Epistar

CRI >80

Life Expectancy 50,000 hrs TM-21

Working Temp -20°C to +45°C


Power Factor

Efficacy Up to 1131m/W

LED Driver Dimmable

Connection LED driver, lead & plug

Carton Qty 10



PRODUCT	SPECIFICATIONS		CODE
LED SMD COMMERCIAL DOWNLIGHTS	√ 35w	2790lm	LED-DL35W-CC-W-DIM-IP54
	√ [45W	4170lm	LED-DL45W-CC-W-DIM-IP54

IP IP54



90° Beam Angle







1800 909 306 nedlandsgroup.com.au sales@nedlandsgroup.com.au




PHOTOMETRICS



LED-DL35W-CC | 5700K




LED-DL45W-CC | 4000K







led-dl35w-cc | **4000k**



LED-DL45W-CC | 3000K



LED-DL45W-CC | 5700K



1800 909 306
nedlandsgroup.com.au
sales@nedlandsgroup.com.au