



POWER-LITE®

Certainty at The Speed of Light



LED UFO MULTI-WATTAGE

HIGH BAY

HB120-200W

The POWER-LITE® LED UFO High Bay is power tunable to suit the needs of each space. Choose between 120W, 150W & 200W. Up to 210lm/W super high efficiency.



APPLICATIONS

Warehouses

Factories

Airports

Shopping Centres



☎ 1800 909 306

🌐 nedlandsgroup.com.au



✉ sales@nedlandsgroup.com.au



POWER-LITE®

Certainty at The Speed of Light

DIMENSIONS	(mm)
Diameter	364
Height	166



Weight 4.5±0.3kg

Fitting Default Settings

Wattage Set to 200W

Sensor Default Settings

Brightness 100%
 Sensitivity 100%
 Hold Time 5 mins
 Daylight Sensor Disabled
 Standby 10% / 1 min

LED Chip SMD 2835

Life Expectancy 64,000 hrs L80

Working Temp -30°C to +50°C

Power Factor >0.95

CRI 70

Efficacy 210lm/W

Connection 1.5m Power Cable with SAA Plug

Material Aluminium alloy & PC Lens

Finish Powdercoated

Driver Lifud Flicker Free

Carton Qty 1

5700K

Input Voltage 100-277 VAC 50/60Hz Surge Protection

Black

PRODUCT SPECIFICATIONS CODE

LED UFO MULTI-WATTAGE HIGH BAY

120W	25,200lm	HB120-200W
150W	31,500lm	
200W	42,000lm	

ACCESSORIES CODE

ADJUSTABLE BRACKET		Black	±60 Degree	HB120-200W-B
MICROWAVE SENSOR				HB-S
REMOTE CONTROL				HB-R

IP IP65

IK IK08

120° Beam Angle



1800 909 306
 nedlandsgroup.com.au
 sales@nedlandsgroup.com.au




POWER-LITE®


Certainty at The Speed of Light

PHOTOMETRICS

HBI20-200W | 120W



HBI20-200W | 200W



ONSITE WARRANTY

How does it work?

1. Call **1800 909 306** or email sales@nedlandsgroup.com.au the team with details of replacement required.

We will need to know:

- ✓ Site address.
- ✓ Site contact.
- ✓ Number / location of failed fittings.

2. The POWER-LITE team will arrange prompt replacement of the fitting at no cost to the electrician or their client.



☎ 1800 909 306

🌐 nedlandsgroup.com.au

✉ sales@nedlandsgroup.com.au