



POWER-LITE®

Certainty at The Speed of Light



LED COB

TRACK LIGHT

TL10W-CC, TL30W-CC

The POWER-LITE® LED COB Track Light has an anti-glare design, high lumen COB chip and PMMA lens offer a uniform lighting output. Colour changeable between 3000K, 4000K and 5000K, offering a flexible solution for a wide range of applications.



APPLICATIONS

Domestic | Retail

Commercial



☎ 1800 909 306

🌐 nedlandsgroup.com.au

✉ sales@nedlandsgroup.com.au




POWER-LITE®

Certainty at The Speed of Light

DIMENSIONS (Size A x B x C mm)

TL10W Ø65 x 157 x 249
TL30W Ø100 x 211 x 302



LED Chip Citizen COB	Power Factor >0.9
Life Expectancy 50,000 hrs TM-21	Efficacy Up to 101lm/W
Working Temp -20°C to +40°C	LED Driver Built-in Dimmable Flicker free
CRI >90	Carton Qty 12
SCDM <6 MacAdam Steps	
Max load per track 16A (recommended Load 60-80%)	

PRODUCT	SPECIFICATIONS			CODE
LED COB TRACK LIGHT	10W	3000K 939lm	Black	TL10W-CC-B
		4000K 1042lm	White	TL10W-CC-W
		5000K 1020lm		
	30W	3000K 2509lm	Black	TL30W-CC-B
		4000K 2732lm	White	TL30W-CC-W
		5000K 2681lm		

IP IP20

AC200-240V

60° Beam Angle



POWER-LITE®

Certainty at The Speed of Light

ACCESSORIES

OPTIONS

CODE

TRACK

1 CIRCUIT 3 WIRE SINGLE PHASE
WITH RIGHT LIVE END & END CAP



1M



Black

T-1M-B



White

T-1M-W



2M



Black

T-2M-B



White

T-2M-W

TRACK CONNECTORS

1 CIRCUIT 3 WIRE SINGLE PHASE

STRAIGHT



Black

T-SC-B



White

T-SC-W

LEFT CORNER L



Black

T-CC-BL



White

T-CC-WL

RIGHT CORNER L



Black

T-CC-BR



White

T-CC-WR

RIGHT LIVE END



Black

T-LE-B



White

T-LE-W

LEFT 3 WAY TEE



Black

T-3WC-W-L



White

T-3WC-W-L

RIGHT 3 WAY TEE



Black

T-3WC-B-R



White

T-3WC-W-R

4 WAY CROSS



Black

T-4WC-B



White

T-4WC-W

END CAPS



Black

T-DE-B



White

T-DE-W

WIRE SUSPENSION KIT



5M



Black

LL-SK5-B



White

LL-SK5-W






POWER-LITE®


Certainty at The Speed of Light

PHOTOMETRICS


TL10W | 3000K




TL10W | 4000K




TL10W | 5000K



TL30W | 3000K



TL30W | 4000K



TL30W | 5000K

