



POWER-LITE®

Certainty at The Speed of Light



LED COB

TRACK LIGHT

TL10W, TL30W

The POWER-LITE® LED COB Track Light has an anti-glare design, high lumen COB chip and PMMA lens offer a uniform lighting output.



APPLICATIONS

Domestic | Retail

Commercial



☎ 1800 909 306

🌐 nedlandsgroup.com.au

✉ sales@nedlandsgroup.com.au




POWER-LITE®

Certainty at The Speed of Light

DIMENSIONS (Size A x B x C mm)

TL10W Ø65 x 157 x 249
TL30W Ø100 x 211 x 302



LED Chip Citizen COB	Power Factor >0.9
Life Expectancy 50,000 hrs TM-21	Efficacy Up to 90lm/W
Working Temp -20°C to +40°C	LED Driver Built-in Dimmable Flicker free
CRI >90	Carton Qty 12
SCDM <6 MacAdam Steps	
Max load per track 16A (recommended Load 60-80%)	

PRODUCT	SPECIFICATIONS			CODE
LED COB TRACK LIGHT	10W 45° beam angle	3000K 745lm	Black	TL10W-WW-B
		4000K 760lm	Black	TL10W-NW-B
		3000K 745lm	White	TL10W-WW-W
		4000K 760lm	White	TL10W-NW-W
	30W 60° beam angle	4000K 2729lm	Black	TL30W-NW-B
			White	TL30W-NW-W

IP IP20

AC200-240V



POWER-LITE®

Certainty at The Speed of Light

ACCESSORIES

OPTIONS

CODE

TRACK

1 CIRCUIT 3 WIRE SINGLE PHASE
WITH RIGHT LIVE END & END CAP



1M



Black

T-1M-B



White

T-1M-W



2M



Black

T-2M-B



White

T-2M-W

TRACK CONNECTORS

1 CIRCUIT 3 WIRE SINGLE PHASE

STRAIGHT



Black

T-SC-B



White

T-SC-W

LEFT CORNER L



Black

T-CC-BL



White

T-CC-WL

RIGHT CORNER L



Black

T-CC-BR



White

T-CC-WR

RIGHT LIVE END



Black

T-LE-B



White

T-LE-W

LEFT 3 WAY TEE



Black

T-3WC-W-L



White

T-3WC-W-L

RIGHT 3 WAY TEE



Black

T-3WC-B-R



White

T-3WC-W-R

4 WAY CROSS



Black

T-4WC-B



White

T-4WC-W

END CAPS



Black

T-DE-B



White

T-DE-W

WIRE SUSPENSION KIT



5M



Black

LL-SK5-B



White

LL-SK5-W






POWER-LITE®


Certainty at The Speed of Light

PHOTOMETRICS

TL10W | 3000K



TL10W | 4000K



TL30W | 4000K

