





TS-24W-NS







24W LED TWINSPOT

FLOOD LIGHT

TS-24W, TS-24W-NS

The POWER-LITE® 24W LED Twinspot Flood Light with PIR sensor is a great choice for outdoor walkways, garage areas, back door entrances etc. This fixture adopts a COB light source with a high lumen efficiency and great heat dissipation.

APPLICATIONS
Indoor

Outdoor





1800 909 306



nedlandsgroup.com.au





sales@nedlandsgroup.com.au




Certainty at The Speed of Light

(mm) **DIMENSIONS** 76 В 96 С 121







Sensor Specifications

Detection **Duration Time** Adjustment Beam Angle 900-1800 10 sec to 4 mins

Detection Range **Detection Circuitry** From 8 to 14m Passive Infra Red

LED Chip **LED Driver** COB Built-in Flicker free Life Expectancy Non-dimmable 50,000 hrs L80

Connection **Working Temp** Hardwired -20°C to +40°C

Material **Power Factor** Aluminium >0.9

Mount Type Wall / Ceiling CRI>80

Carton Qty

PTIONS	CODE
ITH SENSOR	TS-24W
THOUT SENSOR	TS-24W-NS
1	ITH SENSOR

CRI




Beam Angle

IP54









nedlandsgroup.com.au




sales@nedlandsgroup.com.au




PHOTOMETRICS

TS-24W / TS-24W-NS | 5000K
















sales@nedlandsgroup.com.au