





DOWNLIGHT

LED-DL13WCOB-CC

The POWER-LITE® 13W LED COB Downlight is the ideal replacement for traditional halogen downlights. 3CCT switchable making it suitable for various applications. Has a narrow beam angle with COB LED Chip, which provides a focused light with great aesthetics. This downlight includes the elimination of UV therefore insects will not be attracted to this light.














APPLICATIONS Domestic Retail Commercial Healthcare

1800 909 306 nedlandsgroup.com.au sales@nedlandsgroup.com.au



DIMENSIONS	(mm)	
Cutout	90-95	
Diameter	110	
Height	53	
Ø110		



Note

IC-4 rated for downlight only (driver is NOT IC-4 _ rated)



Life Expectancy Efficacy 50,000 hrs TM-21

Up to 83lm/W LED Driver

≥0.9

SCDM <3 Macadam steps

Working Temp -20°C to +45°C


CRI ≥80

Connection LED Driver, 600mm Lead & Plug

Carton Qty 30

Dimmable

Power Factor



IP54

60°

Beam Angle

IP

PRODUCT	OPTIONS	CODE
13W LED COB DOWNLIGHT	Black	LED-DL13WCOB-CC-B
	White	LED-DL13WCOB-CC-W







1800 909 306 nedlandsgroup.com.au sales@nedlandsgroup.com.au




PHOTOMETRICS





LED-DL13WCOB-CC | 5000K -/+180





1800 909 306 \succ

nedlandsgroup.com.au sales@nedlandsgroup.com.au