



# POWER-LITE®

Certainty at The Speed of Light



## LED

### STRIP LIGHT

FLS100W, FLS200W

The POWER-LITE® LED Strip Light not only provides a lifelong lighting solution, saving in energy and maintenance costs, but provides a very even light distribution.



E2362



APPLICATIONS

Domestic | Retail

Commercial



1800 909 306

[nedlandsgroup.com.au](http://nedlandsgroup.com.au)

[sales@nedlandsgroup.com.au](mailto:sales@nedlandsgroup.com.au)



# POWER-LITE®


Certainty at The Speed of Light

## DIMENSIONS

FLS100W 5m Roll  
FLS200W 10m Roll

## Note:

- The IP67 Rating LED Strip Light cannot be cut & joined
- Depth of Strip 4mm



LED Chip  
2835

Power Factor  
>0.9

Life Expectancy  
40,000 hrs LM80

LED Driver  
Dimmable  
(supplied separately)

Working Temp  
-20°C to +60°C

Carton Qty  
1

CRI  
90

PRODUCT	SPECIFICATIONS	CODE
100W LED STRIP LIGHT	20W/m	3000K FLS100W-WW-IP67
	240 LEDs/m	4000K FLS100W-NW-IP67
200W LED STRIP LIGHT	20W/m	3000K 1520lm/m FLS200W-WW-IP67
	240 LEDs/m	4000K 1600lm/m FLS200W-NW-IP67

IP67

DC24V

120° Beam Angle



# POWER-LITE®

Certainty at The Speed of Light

## ACCESSORIES

## OPTIONS


## CODE

### LED DRIVERS



 **100W**  
0-10V Dimmable  
 DC24V

 IP67  
 5 year warranty


 250 x  
42 x  
30mm

FLS-D-100W



 **200W**  
0-10V Dimmable  
 DC24V

 IP67  
 5 year warranty


 240 x  
68 x  
42mm

FLS-D-200W



 **250W**  
0-10V Dimmable  
 DC24V

 IP67  
 5 year warranty


 245 x  
65 x  
40mm

FLS-D-250W

### ALUMINIUM EXTRUSION



 2.5M

 **Mount Type**  
Recessed or  
Surface

 Silver

 IP67

 10mm  
Strip  
width

PL-AL07IF