









25W LED SNORKEL

DOWNLIGHT

LED-SN25W-CC

The POWER-LITE® 25W LED Snorkel Downlight not only provides a lifelong lighting solution, saving in energy and maintenance costs, but produces only a minimal amount of heat compared with standard halogen downlights. The flexible twist angle, coupled with the 45° beam angle delivers a sleek appearance in many applications.

APPLICATIONS
Hotels | Retail
Commercial
Schools | Shops
Healthcare





1800 909 306



nedlandsgroup.com.au



sales@nedlandsgroup.com.au



Certainty at The Speed of Light


DIMENSIONS Cutout

(mm) 160 - 170 180

100

Diameter Height

Ø180



LED Chip

Working Temp

-20°C to +45°C

CRI >80

Power Factor

>0.9

Citizen COB

Life Expectancy 40,000 hrs TM-21

From 24° up to 45°

Connection

Efficacy

LED Driver Dimmable

Up to 88-93lm/W

LED Driver & 600mm Lead

Carton Qty

Tilt







AC200-240V



Colour

PRODUCT	OPTIONS	CODE
25W LED SNORKEL DOWNLIGHT	3000K 2171lm 4000K 2332lm 5000K 2246lm	LED-SN25W-CC



IP20



Beam Angle





1800 909 306



nedlandsgroup.com.au




sales@nedlandsgroup.com.au


Certainty at The Speed of Light

PHOTOMETRICS

LED-SN25W-CC | 3000K




LED-SN25W-CC | 4000K




O AVERAGE BEAM ANGLE (50%):44.3 DEG

LED-SN25W-CC | 5000K











nedlandsgroup.com.au



sales@nedlandsgroup.com.au