











# LED CAN

# **DOWNLIGHT**

CD25W-CC-W-IP65

The POWER-LITE® LED CAN Downlight is surface mounted, screwless on surface with tempered glass in the front part, which offers a better appearance, high protection level and convenient installation.

APPLICATIONS


Domestic | Retail

Commercial

Office









nedlandsgroup.com.au




sales@nedlandsgroup.com.au




Certainty at The Speed of Light



(mm) 130 115





LED Chip

COB 2835 SMD

UGR

<19

Life Expectancy

50,000 hrs TM-21 Up to

Efficacy

Up to 95lm/W

SCDM

<6 Macadam steps

LED Driver

Built-In Dimmable

**Working Temp** 

-20°C to +40°C

Mount Type

Surface Mount

**Power Factor** 

>0.90

Carton Qty

12

CRI

90

 $\overline{\mathbb{IP}}$ 

ノ



IK06

IP65



Beam Angle

PRODUCT CODE

LED CAN DOWNLIGHT

CD25W-CC-W-IP65





1800 909 306



nedlandsgroup.com.au




sales@nedlandsgroup.com.au




# Certainty at The Speed of Light

### **PHOTOMETRICS**


#### CD25W-CC | 3000K



### CD25W-CC | 4000K




#### CD25W-CC | 5000K















sales@nedlandsgroup.com.au